

#16

Sheet 1 of 1

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.  
2026-4205

SERIAL NO.  
08/533,895


**INFORMATION DISCLOSURE CITATION**

APPLICANT(S)  
Topalian, et al.

FILING DATE  
September 26, 1997

GROUP ART UNIT  
1817

(Use several sheets if necessary)



**U.S. PATENT DOCUMENTS**

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

**FOREIGN PATENT DOCUMENTS**

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
NC		WO 88/02372	4-7-88	PCT	—	—		

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)**


EXAMINER

*A. Caputo*

DATE CONSIDERED

*4/24/98*

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

M&F REV. 06/29/95

#9

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE <b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)	ATTY. DOCKET NO. 2026-4205US	SERIAL NO. 08/533,895
	APPLICANT(S) Topalian, et al.	
	FILING DATE September 26, 1995	GROUP ART UNIT 1817

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
M	5 2 6 2 1 7 7	11/16/93	Brown et al.			
M	5 3 4 2 7 7 4	08/31/94	Boon et al.			

## FOREIGN PATENT DOCUMENTS



	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
M	9 4 0 5 3 0 4	3/94	PCT				
M	0 6 6 8 3 5 0	08/23/95	EPO				
M	3 3 4 1 3 6 7	05/24/84	GERMANY (DE)				
M	2 1 3 3 5 4 3	08/24/84	GB				
M	9 5 2 2 5 6 1	08/24/95	PCT				
M	9 4 2 3 0 6 7	10/13/94	PCT				
M	9 3 1 4 1 8 9	07/22/93	PCT				
M	9 4 1 4 4 5 9	07/94					

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

M	Chicz, R.M., et al., "Specificity And Promiscuity Among Naturally Processed Peptides Bound To HLA-Dr Alleles" <i>J. Exp. Med.</i> , 178, 27-47; (1993)
M	Sette, A. et al., "Capacity Of Intact Proteins To Bind To MHC Class II Molecules" <i>J. Immunol.</i> , 143, 1265-1267; (1989)
M	Brown, J.H., et al. "Three-Dimensional Structure Of The Human Class II Histocompatibility Antigen HLA-DRI" <i>Nature</i> , 364, 33-39 (1993)
M	Kwon, et al., "Isolation And Sequence Of A cDNA Clone For Human Tyrosinase That Maps At The Mouse c-Albino Locus" <i>PNAS</i> , 84:7473-7477, (1987)
M	Shibihara, S. et al., "Molecular Basis For The Heterogeneity Of Human Tyrosinase" <i>J. Exp. Med.</i> , 156:403-414, (1988)
M	Sette, A. et al., "HLA-DR4w4-Binding Motifs Illustrate The Bio chemical Basis Of Degeneracy And Specificity In Peptide-Dr Interactions" <i>J. Immunol.</i> , 151:3163-3170, (1993)
M	Rammensee, H.G. et al., "MHC Ligands And Peptide Motifs: First Listing" <i>Immunogenetics</i> , 41:178-228 (1995)
M	Kozono, H. et al., "Production Of Soluble MHC II Class II Proteins With Covalently Bound Single Peptides" <i>Nature</i> , 369:151-154 (1994)
M	Sinigaglia, F. et al., "Motifs And Super motifs for MHC Class II Binding Peptides" <i>J. Exp. Med.</i> , 181:449-451 (1995)
M	Kawakami, et al. "Cloning Of The Gene Coding For A Shared Human Melanoma Antigen Recognized By Autologous T-Cells Infiltrating Into Tumor" <i>Proc. Natl Acad. Sci.</i> , 91:3575-3579 (1994)
M	Wang, R-F et al., "Identification Of A Gene Encoding A Melanoma Tumor Antigen Recognized By HLA-A31-Restricted Tumor Infiltrating Lymphocytes" <i>J. Exp. Med.</i> , 181:799-804, (1995)

FORM PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 2026-4205US	SERIAL NO. 08/533,895
<b>INFORMATION DISCLOSURE CITATION</b>  <i>(Use several sheets if necessary)</i>				APPLICANT(S) Topalian, et al.	
				FILING DATE September 26, 1995	GROUP ART UNIT 1817
6			Sidney, J. et al., "DR B1* 0301 Molecules Recognize A Strcutral Motif Distinct From The One Recognized By Most DR B, Alleles" <i>J. Immunol.</i> , 149, 2634-2640, (1992)		
6			Malcherek, G. et al., "Super Motifs Enable Natural Invariant Chain-derived Peptides To Interact With Many Major Histocompatibility Complex-class II Molecules" <i>J. Exp. Med.</i> , 181, 527-536 (1995)		
6			Topalian, S., "MHC Class II Restricted Tumor Antigens And The Role Of CD4+ T Cells In Cancer Antigens" <i>Current Opinion in Immunology</i> , 6:741-745, (1994)		
6			Topalian, S., et al. (1994) "Melanoma Specific CD4+ T-Lymphocytes Recognize Human Melanoma Antigens Processed And Presented By Epstein Barr Virus Transformed Cells" <i>Int. J. Cancer</i> 58:69-79		
6			Nanda, et al., "Induction of Anti Self-Immunity to Bone Cancer" <i>Cell</i> , 82:13-17, (1995)		
6			Markus, N. et al., "Analysis of Cytokine Secretion by Melanoma-Specific CDY & Lymphocytes" <i>Journal of Interferon and Cytokine Research</i> , 15:739-746, (1995)		
			GenBank, Acession No. J03581		
			GenBank, Acession No. U01873		
			GenBank, Acession No. Y00819		
			GenBank, Acession No. M27160		
6			Coulie, P.G. et al. (1993) "Genes coding for tumor antigens recognized by human cytolytic T-lymphocytes." <i>J. Immunotherapy</i> ; 14:104-109.		
6			Coulie P.G. et al. "A new gene coding for a differentiation antigen recognized by autologous cytolytic T lymphocytes on HLA-A2 melanomas." <i>J. Exp. Med.</i> 1994; 180:35-42.		
6			Maresh, C.A. et al.: "Cloning and expression of the gene for the melanoma associated ME20 antigen." <i>DNA and Cell Biology</i> 1994; 13:87-95.		
6			Cox, A.L., et al. "Identification of a peptide recognized by five melanoma-specific human cytotoxic T cell lines." <i>Science</i> 1994; 264:716-719.		
6			Brichard, V., et al.: "The tyrosinase gene codes for an antigen recognized by autologous cytolytic T lymphocytes on HLA-A2 melanomas". <i>J. Exp. Med.</i> 1993; 178:489-495.		
6			Gaugler, B., et al. "Human gene MAGE-3 codes for an antigen recognized on a melanoma by autologous cytolytic T lymphocytes". <i>J. Exp. Med.</i> 1994; 179:921-930.		
6			Traversari, C., et al.: "A nonapeptide encoded by human gene MAGE-1 is recognized on HLA-A1 by cytolytic T lymphocytes directed against tumor antigen MZ2-E". <i>J Exp. Med.</i> 1992; 176:1453-1457.		
6			Cellis, E., et al.: "Induction of anti-tumor cytotoxic T lymphocytes in normal humans using primary cultures and synthetic peptides epitopes". <i>Proc. Natl. Acad. Sci. USA</i> 1994; 91:2105-2109.		
6			Boon, T.: "Toward a genetic analysis of tumor rejection antigens". <i>Adv. Cancer Res.</i> 1992; 58:177-210.		
6			Kawakami, Y., et al.: "T-cell recognition of human melanoma antigens." <i>J. Immunother.</i> 1993; 14:88-93.		
6			Bakker, A.B.H., et al.: "Melanocyte lineage-specific antigen gp100 is recognized by melanocyte-derived tumor infiltrating lymphocytes." <i>J. Exp. Med.</i> 1994; 179:1005-1009.		
6			Wölfel, T., et al.: "Two tyrosinase nonapeptides recognized on HLA-A2 melanomas by autologous cytolytic T. lymphocytes." <i>Eur. J. Immunol.</i> 1994; 24:759-764.		
6			Adema, G.J., et al.: "Melanocyte lineage-specific antigens recognized by monoclonal antibodies NK1-beteb, HMB-50, and HMB-45 are encoded by a single cDNA." <i>Am J. Pathol.</i> 1993; 143:1579-1585.		
6			Kwon, B.S., et al.: "A melanocyte-specific gene, Pmel 17, maps near the silver coat color locus on mouse chromosome 10 and is in a syntenic region on human chromosome 12." <i>Proc. Natl. Acad. Sci. USA</i> 1991; 88:9228-9232.		

FORM PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 2026-4205US	SERIAL NO. 08/533,895
<b>INFORMATION DISCLOSURE CITATION</b>  (Use several sheets if necessary)				APPLICANT(S) Topalian, et al.	
				FILING DATE September 26, 1995	GROUP ART UNIT 1817
N			Rosenberg, S.A., et al.: "Use of tumor infiltrating lymphocytes and interleukin-2 in the immunotherapy of patients with metastatic melanoma. Preliminary report." <i>N. Engl. J. Med.</i> 1988; 319:1676-1680.		
N			Kawakami, Y., et al.: "Shared human melanoma antigens. Recognition by tumor infiltrating lymphocytes in HLA-A2.1 transfected melanomas." <i>J. Immunol</i> 1992; 148:638-643.		
N			Van der Bruggen, et al.: "A gene encoding an antigen recognized by cytolytic T. lymphocytes on a human melanoma." <i>Science</i> 1991; 254:1643-1647.		
N			Falk, K., et al.: "Allele-specific motifs revealed by sequencing of self-peptides eluted from MHC molecules." <i>Nature</i> 1991; 351:290-296.		
N			Kubo, R., et al.: "Definition of specific peptide motifs for four major HLA-A Alleles." <i>Journal of Immunology</i> 1994, 152:3913-3924.		
N			Parker, K., et al.: "Sequence motifs important for peptide binding to the human MHC class 1 molecule. HLA-A2." <i>J. Immunol.</i> 1992; 3580-3587.		
N			Ruppert, J., et al.: "Prominent role of secondary anchor residues in peptide binding to HLA-A2.1 molecules." <i>Cell</i> 1993; 74:929-937.		
N			Storkus, W., et al.: "Identification of human melanoma peptides recognized by class 1 restricted tumor infiltrating T lymphocytes." <i>Journal of Immunology</i> 1993; 151:3719-3727.		
N			Kawakami, Y., et al.: "Cloning of the gene coding for a shared human melanoma antigen recognized by autologous T cells infiltrating into tumor." <i>Pro. Natl. Acad. Sci. USA</i> 1994; 91:3515-3519.		
N			Adema, G.J. et al., "Molecular characterization of the melanocyte lineage-specific antigen gp100." <i>Journal of Biological Chemistry</i> 1994; 269:20126-20133.		
N			EMBL DATABASE ACESSION NUMBER M32295: 26-11-90 Vogel A.: Human KD melanocyte specific secreted glycoprotein mRNA 3'end'.		
N			Kawakami, Y., et al.: "Identification of a human melanoma antigen recognized by tumor-infiltrating lymphocytes associated with <i>in vivo</i> tumor rejection." <i>Proc. Natl. Acad. Sci. USA</i> 1994; 91:6458-6462.		
N			Kawakami, Y., et al., "Identification of the Immunodominant Peptides of the MART-1 Human Melanoma Antigen Recognized by the Majority of HLA-A2-restricted Tumor Infiltrating Lymphocytes" <i>J. Exp. Med.</i> 180:347-352, 1994		
N			Rivoltini, L., et al., "Induction of Tumor-Reactive CTL from Peripheral Blood and Tumor-Infiltrating Lymphocytes of Melanoma Patients by In Vitro Stimulation with an Immunodominant Peptide of the Human Melanoma Antigen MART-1" <i>Journal of Immunology</i> , 1995, 154:2257-2265		
N			Slingluff, C.L., Jr., et al., "Direct analysis of tumor-associated peptide antigens" <i>Current Opinion in Immunology</i> 1994, 6:733-740		
N			Cole, D.J., et al., "Characterization of the Functional Specificity of a Cloned T-Cell Receptor Heterodimer Recognizing the MART-1 Melanoma Antigen" <i>Cancer Res.</i> 55:748-752 Feb. 1995		
N			Cole, D.J., et al., "Identification of MART-1-specific T-Cell Receptors: T Cells Utilizing Distinct T-Cell Receptor Variable and Joining Regions Recognize the Same Tumor Epitope" <i>Cancer Res.</i> 54:5265-5268, 1994		
N			Castelli, C., et al., "Mass Spectrometric Identification of a Naturally Processed Melanoma Peptide Recognized by CD8 <sup>+</sup> Cytotoxic T Lymphocytes" <i>J. Exp. Med.</i> 181:363-368 1995		
N			Sette, A., et al., "Peptide Binding To The Most Frequent HLA-A Class I Alleles Measured By Quantitative Molecular Binding Assays" <i>Molecular Immunology</i> 31:813-822, 1994		
N			Wölfel, T., et al., "Analysis Of Antigens Recognized On Human Melanoma Cells By A2-Restricted Cytolytic T Lymphocytes (CTL)" <i>Int. J. Cancer</i> 55:237-244, 1993.		
N			Wölfel, T., et al., "Isolation Of Naturally Processed Peptides Recognized By Cytolytic Lymphocytes (CTL) On Human Melanoma Cells In Association With HLA-A2.1" <i>Int. J. Cancer</i> 57:413-418, 1994.		

FORM PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 2026-4205US		SERIAL NO. 08/533,895	
<b>INFORMATION DISCLOSURE CITATION</b>  (Use several sheets if necessary)				APPLICANT(S) Topalian, et al.			
				FILING DATE September 26, 1995		GROUP ART UNIT 1817	
			Topalian, S.L., et al., "Human CD4 <sup>+</sup> T Cells Specifically Recognize a Shared Melanoma-Associated Antigen Encoded by the Tyrosinase Gene" <i>PNAS</i> 91:9461-9465, 1994.				
			Boël, P., et al., "BAGE: a New Gene Encoding an Antigen Recognized on Human Melanomas by Cytolytic T Lymphocytes" <i>Immunology</i> 2:167-175 1995				
			Slingluff, C.L., Jr., et al., "Recognition of Human Melanoma Cells by HLA-A2.1-Restricted Cytotoxic T Lymphocytes Is Mediated by at Least Six Shared Peptide Epitopes" <i>Journal of Immunology</i> 150:2955-2963 1993				
			GENBANK DATABASE ACCESSION NUMBER M77348 - Human PMEL 17 in RNA - November 14, 1991				
			GENBANK DATABASE ACCESSION NUMBER U06654 - Human Differentiation Antigen Melan-A Protein in RNA - July 30, 1994				
			GENBANK DATABASE ACCESSION NUMBER U06452 - Human Melanoma Antigen Recognized by T-Cells (MART-1) MRNA - June 25, 1994				
			GENBANK DATABASE ACCESSION NUMBER S73003 - GP100 Melanocyte Lineage Specific Antigen / PMELL 7 - January 25, 1995				
			GENBANK DATABASE ACCESSION NUMBER U01874 - Human ME20 MRNA May 27, 1994				
			Bouchard, Brigitte, et al.: "Induction of pigmentation in mouse fibroblasts by expression of human tryosinase." <i>J. Exp. Med.</i> 1989; 169:2029-2042.				
			Tripathi, Ram K., et al.: "Tyrosinase Gene Mutations in Type I (Tyrosinase-Deficient) Oculocutaneous Albinism Define Two Clusts of Missense Substitutions." <i>American Journal of Medical Genetics</i> 1992; 43:865-871.				
			Oetting, William S. and King, Richard A.: "Molecular Basis of Type I (Tyrosinase-Related) Oculocutaneous Albinism: Mutations and Polymorphisms of the Human Tyrosinase Gene." <i>Human Mutation</i> 1993; 2:1-6.				
			Spritz, Richard A.: "Molecular Genetics of Oculocutaneous Albinism." <i>Seminars in Dermatology</i> 1993; Vol. 12, No.3:167-172				
			Robbins, et al. (1994), "Recognition of tyrosinase by tumor-infiltrating lymphocates from a patient responding to immunotherapy", <i>Cancer Research</i> ; 54:3124-3126				
			Robbins, et al (1995), "Cloning of a new gene encoding an antigen recognized by melanoma-specific HLA-A24-restricted tumor-infiltrating lymphocytes" <i>J. IMMUNOL.</i> 1995;154(11), 5944, 50				
EXAMINER			DATE CONSIDERED				
							
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							